

7300021

WHE UNIVERS OF ANDERSON

Callatin Valley Seed Company

Collierens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SEVENTERN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

BEAN

'Valgold'

In Testimony Winercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 20th day of June in the year of our Lord one thousand nine hundred and seventy-four

Earl L But

Secretary of Agriculture


Allest:

J. Kollin

Diant Variety Protection Office

Grain Division

Agricultural Marketing Service



160ET#

Exhibit 12 A (2)

Valgold Wax (H73-13 VRC) Bean.

Details of Selection and Multiplication.

- 1969 From a population segregating for resistance to common bean mosaic in the line H73-13, which descended from hybrid number H73 (see pedigree chart), eight mosaic resistant plants were bulked for increase as number H73-13 VRC.
- 1970 Planted 8 oz., Harvested 15 #. Line checked for uniformity, stability, and resistance to common bean mosaic. Decided this a distinct and new variety.
- 1971 Planted 15 #, Harvested 185#.
- 1972 Planted 185#, Harvested 2500#.

Exhibit 12 A (3)

Type and Frequency of Variants.

Valgold, as does most snap bean types, produces a few of each of two mutant types. These are plants with flat pods instead of round pods and plants having pods with suture strings instead of being stringless. It is difficult to list frequency of these since they become evident only after several generations of increase and the build-up of these variants in the population is governed by the efficiency of roguing operations and the effect of naturally occurring selective pressures.

Exhibit 12 A (4)

Evidence of stability.

Reproduction and multiplication of Valgold has been under the supervision of competent plant breeders using proven increase methods to assure satisfactory stability of the line. All increase, to date, has been accomplished on a company owned and operated trial grounds and each increase block has been carefully inspected for occurrence of off-types, etc.



APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse. 1. VARIETY NAME OR TEMPORARY	12 vine		<u> </u>	<u> </u>
DESIGNATION	2. KIND NAME			AL USE ONLY
Valgold		n (Wax Pod)	PVPO NUMBER 73021	
3. GENUS AND SPECIES NAME	4. FAMILY NAME (Botanical)		FILING DATE	TIME A CAM
Phaseolus vulgaris L.	Legumino:		10-31-71	11:00 P.M
	1970		13250	CHARGES
6. NAME OF APPLICANT(S)	7. ADDRESS (Street Code)	7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP		
Gallatin Valley	P. O. Box 167 Twin Falls, Idaho 83301			AC 208
Seed Co.				733-8222
	**************************************	.*- *		
9. IF THE NAMED APPLICANT IS NOT A PER	RSON, FORM OF	10. STATE OF INCOM		
ORGANIZATION: (Corporation, partnership,	association, etc.)	IV. STATE OF INCOR	PORATION	11. DATE OF INCOR- PORATION
Corporation	-	Montan	_	9-28-22
12. Name and mailing address of application	ant representative(s), if any, to serve i	n this application an	d receive all naners
Same as above		**************************************	application at	
		alandi. Santana da	-:-	
				• .
				•
	tite in the			•
13. CHECK BOX BELOW FOR EACH ATTACH	MENT SUBMITTED:			
				•
X 12A. Exhibit A, Origin and Breed	ding History of the	Variety (See Section	2 52, P.L. 91-577)	
I 12B. Exhibit B, Botanical Descr				
12c. Exhibit C, Objective Descri	iption of the Variet	y .	# 15 A	
I 12D. Exhibit D, Data Indicative	of Novelty	\$ 4.5 -		
		•		
X 12E. Exhibit E, Statement of the	Basis of Applicant	's Ownership		
The applicant declares that a viable sa	mple of basic seed	of this vacious will	ha dan a tan tan	
and all he tebles	ished periodically	in accordance with	such regulations as a	quest before issu-
<u></u>				
14A. Does the applicant(s) specify that: (See Section 83(a), P.L. 91-577) (If	seed of this variety	be sold by variety	name only as a class	of certified seed?
. Tools the applicant(s) specify that	this variety be	14C. If "Yes." to 1	4B, how many genera	riona of and
limited as to number of generations	?	beyond breeder	seed?	tuons of production
Applicant is informed that false represe	entation herein can	jeopardize protectio	n and result in pena	lties.
The undersigned applicant(s) of this se uniform, and stable as required in Section	nually-reproduced t	rovel plant variety b	elieves that the vari	ety is distinct,
uniform, and stable as required in Section Plant Variety Protection Act (P.L. 91-5	on 41 ana is entitle 77).	ed to protection unde	er the provisions of S	ection 42 of the
	Ga;	llat <u>i</u> n-Valley	Segd-Co.	•
Oct. 31, 1972	per:	mossi	er la de la companya	Pauka-
(DATE)		(SIGI	NATURE OF APPLICAN	Parker
	Titl.		dent and Res	
(DATE)	·			N4
TONIE!		(SIGI	NATURE OF APPLICAN	r)

Exhibit 12 B. Valgold Wax (H73-13 VRC) Bean.

Botanical Description.

Valgold is an early wax bean type suitable for garden, canning, and quick freezing usage. Plants are sturdy and erect holding most pods off the soil. Pods are low in fiber and slow to develop seed. The variety has wide area adaptation and is adapted to machine harvest.

Valgold is resistant to common bean mosaic, curly-top virus, and to Australian "summer death " virus.



Exhibit 12 D. Valgold War (H73-13 VRC) Bean. Data Indicative of Novelty.

Valgold differs from other early wax bean varieties available currently in being resistant to curly-top virus and to Australian "summer death" virus.

GALLATIN VALLEY SEED CO.

BOX 167 • TWIN FALLS, IDAHO 83301



Date: Oct. 31, 1972

12E. Exhibit E.

Statement of the Basis of Applicant's Ownership.

The undersigned specifies that Gallatin Valley Seed Co., applicant, is the employer of the breeder responsible for the development of the subject plant variety of this application, namely

Valgold

Beans

Gallatin Valley Seed Co.

per: McParker M. C. Parker

Title: Vice President and Director of Research

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION

HYATTSVILLE, MARYLAND 20782

OBJECTIVE DESCRIPTION OF VARIETY

INSTRUCTIONS: See Reverse.

BEAN (PHALEOLUS VULGARIS)

FOR OFFICIAL USE ONLY NAME OF APPLICANT(S) Gallatin Valley Seed Co. PVPO NUMBER 73021 ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) VARIETY NAME OR TEMPORARY DESIGNATION P. O. Box 167, Twin Falls, Ideko 83301 Valgold Place the appropriate number that describes the varietal character of this variety in the boxes below. Place a zero in first box (e.g. 0 8 9 or 0 9) when number is either 99 or less or 9 or less. 1. TYPE: 4 = MULTIPURPOSE | / | 2 = GREEN SHELL 3 = DRY EDIBLE 1 = SNAPBEAN 2. SEASON AND REGION OF ADAPTABILITY IN THE U.S.: A = WINTER 2 = SUMMER 2 1 = SPRING Grows best during: 4 = SOUTHEAST 3 = NORTHEAST 2 = NORTHCENTRAL 1 = NORTHWEST Best adapted in: 6 = MOST REGIONS 5 = SOUTHWEST 3. MATURITY (Days from seeding to first harvest): DRY SEEDS GREEN SHELLS GREEN PODS 3 = KINGHORN WAX 3 2 = KENTUCKY WONDER 2 NO. DAYS EARLIER THAN -----1 = TENDERCROP D 6 = DWARF HORTI~ 4 = WHITE KIDNEY 5 = MICHELITE 62 7 = BUSH BLUE LAKE 8 = OTHER (Specify) NO. DAYS LATER THAN -----4. PLANT: 2 = DETERMINATE, SPRAWLING BUSH 1 = DETERMINATE, ERECT BUSH 3 = DETERMINATE, SEMIPOLE 4 = INDETERMINATE, POLE CM. HEIGHT OR LENGTH OF VINE FROM PRIMARY LEAF NODE 3 / 4 CM. SPREAD 2 NUMBER PRIMARY BRANCHES PER MAIN STALK 014 NUMBER INTERNODES ON MAIN STALK BETWEEN PRIMARY LEAF AND BASE OF Branching habit: 1 = COMPACT 2 = OPEN TERMINAL INFLORESCENCE 0 4 MM. STALK DIAMETER ABOVE 3 CM. LENGTH OF FIRST INTERNODE ABOVE PRIMARY LEAF FIRST TRIFOLIATE LEAF 1. STOUT Main stalk: 1 = BRITTLE 2 = WIREY 2 Flower position: 2 = HIGH, CONCENTRATED 3 = SCATTERED 1 = LOW, CONCENTRATED 2 Pod Position: 5. LEAVES: Thickness: 1 = THIN 2 = MEDIUM 3 = THICK 1 = DULL 2 = GLOSSY 1 = SMOOTH 2 = WRINKLED CM. PETIOLE LENGTH 3 ≃ LARGE (Tendercrop) Size: 1 = SMALL (Earliwax) 2 = MEDIUM (To basal leaflets of first trifoliste leaf) 3 = SHARP POINTED 2 = TAPER POINTED Tip shape of center leaflet:) = ROUNDED PUBESCENCE - Dorsal: 3 = CONSIDERABLE 2 = \$LIGHT 1 = NONE 5 PUBESCENCE - Ventral: 3 = DARK GREEN (Bush Blue Lake)

2 = MEDIUM GREEN

Color: 1 = LIGHT GREEN (Bountiful)

FORM GR-470-12 (PAGE 3 OF 3 PAGES)								
10. ANTHOCYANIN: (1 = Absent 2 = Present):								
/ FLOWE		PODS	SEEDS	LEAVES				
11. DISEASE RESISTANCE (0 = Not tested; 1 = Susceptible; 2 = Resistant):								
D RUST	Specify race)	0	ANGULAR LEAF SPOT					
D BACTE	RIAL WILT	2	COMMON BEAN MOSAIC					
ANTHE	RACNOSE	0	YELLOW BEAN MOSAIC					
D SOUTH	ERN BEAN MOSAIC	0	FUSARIUM ROOT ROT					
2 CURLY	ТОР	2	N.Y. 15 BEAN MOSAIC					
O POWDE	RY MILDEW	0	BEAN MOSAIC VIRUS 4					
/ HALO	BLIGH T	\square	FUSCOUS BLIGHT					
O ALFAL	FA MOSAIC VIRUS	0	ALFALFA MOSAIC VIRUS 2					
2 POD M	OTTLE VIRUS	0	RED NODE VIRUS					
<u> </u>	NOT NEMATODE	0	OTHER (Specify)	······································				
12. INSECT	RESISTANCE: (0 = Not tested; 1 = Susce	ptible; 2 = Resistant)						
O APHID			LEAF HOPPERS					
O POD BO	DRER	0	LYGUS					
O THRIPS		0	WEAVILS					
	CORN MAGGOT	0	OTHER (Specity)					
13. PHYSIOLOGICAL RESISTANCE: (0 = Not tested; 1 = Susceptible; 2 = Resistant)								
D HEAT	O COLD	DROUGHT	OTHER (Specify)					

REFERENCES: The following publications may be used as a reference in completing this form:

- Beans of New York. Vol. 1 Part II of Vegetables of New York. U.P. Hedrick et al. J. B. Lyon Company, Albany, N.Y. 1931.
- 2. Yarnell, S. H., Cytogenetics of the Vegetable Crops IV. Legumes. Bot. Rev. 31:247 330. 1965.
- 3. USDA Yearbook of Agriculture. 1937.

COLOR: Nickerson's or any recognized color fan may be used to determine the colors.

FORM GR-	170-12 (PAGE 2 OF 3 F	PAGES)				
6. FLOWE	RS:	. .			0	
	1 = WHITE	2 = CREAM	3 = PINK	4 = LILAC	5 = PURPLE	
Colo		R (Specify)				x
		, (- p			·	
2 Race	mes: 1 = LONG	2 = MEDIUM	3 = SHORT	W NUMBER	R FLOWERS PER RACEME	
<u>—</u>	PODS: (Edible maturi		(n)			
7. FRESH	PODS: (Earnie maturi	ry, averages for to pou				
14 Colo	_{i:} l=Light gre	EN (Bountiful)	2 = MEDIUN	GREEN (Tender	green) 3 ± DARK GRE	EN (Wade)
لسينا	4 = LIGHT YEL	.LOW (Brittlewax)	5 = GOLDE	YELLOW (Chero		
	7 = OTHER (Sp	ecify)			(Horticulture	11)
			-		اســــــــا	WIDTH
13	CM. LENGTH	09 MM. WIE	TH sutures)	0 9 MM. THI	CKNESS / / / TH	IICKNESS
4 Cros	ss section pod shape:	1 = FLAT 2	= OVAL 3	= CREASEBACK	4 = ROUND	
2 Curv	ature: 1 = STRAIGHT 3 = CURVED	2 = SLIGHTLY CU	RVED	Z Pubescence:	1 = NONE 2 = SPARSE	3 = CONSIDERABLE
2 Cons	trictions: 1 = NONE	2 = SLIGHT 3	DEEP	2 Spur: 1 = 5	TRAIGHT 2 = SLIGHTLY CU	RVED 3 # CURVED
Surfa	ace: 1 = SHINY	2 = DULL	[/ Surface:	1 = \$MOOTH 2 = BLIST	ĒŖĒD
Pod	flesh: 1 = LIGHT	2 = DARK	[Pod flesh:	1 = FIRM 2 = WATER	Υ
/Z MM.	SPUR LENGTH		. [2 Suture string:	1 = PRESENT 2 = ABSEN	IΤ
Fibe	er: 1 = NONE 2 =	SPARSE 3 = CONSI	DERABLE [2 Seed develop	ment: 1 = SLOW 2 = MEDI	UM 3 = FAST
6 NUM	IBER OF SEEDS PER F	aos	[16 NUMBER PO	DDS PER PLANT (Once over he	rvest)
/4/ NUM	BER MARKETABLE PO	DDS PER PLANT (On	ce over harvest)	/ Machine har	rest: 1 = ADAPTED 2 = 1	NOT ADAPTED
8. SEED	COAT COLOR:	<u></u>				
гл .		- 501 VGUDOUE	(/ 1 = SHIN	y 2 = DULL	
<u> </u>	= MONOCHROME 2	= POLYCHROME	l	7 1 - 38114	1 - 5022	
7	imary color:	1 = WHITE 2	= YELLOW	3 = BUFF 4	= TAN	
	imary color.	5 = BROWN 6	= PINK	7 = RED 8	= PURPLE	
Se	condary color:)	•				
		9 = 8LUE 10	= BLACK	II = OTHER (Spec	- ity)	
Col	or pattern: 1 = SF	PLASHED 2 = MOT	TLED 3 = ST	RIPED 4=F	LECKED 5 = DOTTED	
. —		1 = HILAR RING		2 = HILAR	SURFACE	
Sec	ondary color location:	3 = STROPHIOLE 5 = SIDES		4 = MICRO 6 = DORSA	PYLE AL SURFACE	
		7 = NOT RESTRICT	ED TO ANY AREA		NATION OF LOCATIONS (Spec	ity)
Hil	lar ring: 1 = NOT P	RESENT 2 = NARF	OW 3 = BUT	TERFLY SHAPED		
Z Vei	n-like under coat patter	n: 1 = ABSENT	2 = PRESENT			
9. SEED	SHAPE AND SIZE:				1 - 0041 0 - 50000	
2 Hil	um view: = ELLIP	TICAL 2 = OVAL	3 = ROUND	/ Side view:	1 = OVAL 2 = ROUND 3 = KIDNEY 4 = TRUNC	
2 Cre	ess section: 1 = ELLI			ZZ GM. WEIGH	T PER 100 SEEDS	
4 Cla	ssification: 1 =	: PEA 2 = MEI	DIUM - 3 = 1	MARROW	4 = KIDNEY 5 ≃ PINT	o
06	MM. WIDTH (Dorsal t	o ventre i)		05 MM. T	HICKNESS (Side to eide)	6
/3	MM. LENGTH			0/2 -	WIDTH X 10	